Message

From: LEE, LILY [LEE.LILY@EPA.GOV]

Sent: 3/1/2017 4:24:42 PM

To: Keener, Bill [Keener.Bill@epa.gov]

Subject: Fwd: Comment Media p 8? Fwd: HPNS Communication Plan 1.5 **Attachments**: Comm Plan HPNS February_2017_Rev1.5.docx; ATT00001.htm

Dear Bill,

I'm sorry to bother you, but I saw that Rusty is out. Can you help? The Navy has a standard of responding to reporters or public in 14 days. They sometimes give Vague answers.

Enrique wants us to make recommendations to the Navy on standards for best practices. Could you help with suggesting what we would consider to be standards for responsiveness?

Sent from my iPhone

Begin forwarded message:

From: "LEE, LILY" < LEE.LILY@EPA.GOV > Date: March 1, 2017 at 8:11:35 AM PST

To: "Harris-Bishop, Rusty" < Harris-Bishop, Rusty@epa.gov>

Cc: "Lane, Jackie" < Lane. Jackie@epa.gov>

Subject: Comment Media p 8? Fwd: HPNS Communication Plan 1.5

See p8 re media. Would you like to add recommendations about timing of response, answering the question directly and with details, and anything else? Can you cite any documentation about best practices in the field?

Sent from my iPhone

Begin forwarded message:

From: <Kellie.Koenig@ch2m.com>

Date: February 16, 2017 at 11:39:37 AM PST

To: <derek.j.robinson1@navy.mil>, <william.d.franklin@navy.mil>,

<zachary.edwards@navy.mil>, <amy.brownell@sfdph.org>, <yogi.david@epa.gov>,

<lane.jackie@epa.gov>, <asha.setty@dtsc.ca.gov>, <Kimberly.Henderson@CH2M.com>,

<Rosa.Esquivel@CH2M.com>, <Elizabeth.Rehoreg@CH2M.com>,

<george.brooks@navy.mil>, <kimberly.ostrowski@navy.mil>,

<Leticia.Solaun@CH2M.com>, <Amy.Brand@CH2M.com>,

<elizabeth.basinet@NOREASINC.COM>, <matthew.slack@navy.mil>,

<chesnutt.john@epa.gov>, <Kathryn.Higley@oregonstate.edu>,

<tamsen.drew@sfgov.org>, <LEE.LILY@EPA.GOV>, <Juanita.Bacey@dtsc.ca.gov>,

<thomas.macchiarella@navy.mil>

Subject: HPNS Communication Plan 1.5

Hi Team,

Attached for your information is the Hunters Point Radiological Communication Plan 1.5. As discussed on calls, this document is intended to be updated as needed.

Based on last week's meeting and other activities, please let me know if you have input for additions or changes to future FAQs and Q&As. Thank you all for your help in getting this plan together.

Kellie

Kellie D. Koenig Principal Public Involvement Technologist D 1 619 272 7217 M 1 949 278 2177

CH2M 402 West Broadway, Suite 1450 San Diego, CA 92101 www.ch2m.com | Linkedin | Twitter | Facebook